


## Curriculum Vitae

 <b>Photo</b>	<b>Name in Full</b>	DongHwan Jung
	<b>Country</b>	Republic of Korea
	<b>Affiliation</b>	University of Ulsan College of Medicine and Asan Medical Center
	<b>Email</b>	jdhsurgeon@hotmail.com

### **Educational Background**

1997 Graduated from Medical school, KOSIN Univ. Undergraduate

2002 Graduated from Medical school, ULSAN Univ. Master

2008 Finished PhD's Course, Graduate School of Medicine, ULSAN University Ph.D.

### **Professional Career**

1998 Medical Residency in Surgery, University of ULSAN, ASAN MEDICAL CENTER (until February 2002)

2005 Clinical Fellowship, University of Ulsan and Asan Medical Center (until February 2008)

2008 Clinical Assistant Professor, Asan Medical Center, School of Medicine, Ulsan University

2012 Clinical Associate Professor, Asan Medical Center, School of Medicine, Ulsan University

2018- Now Professor, Asan Medical Center, School of Medicine, Ulsan University

### **Research Field**

Liver transplantation

Living donor hepatectomy

Post-transplantation patient care

Hepatocellular carcinoma

Laparoscopic hepatectomy

**Papers, Books, etc. presented or published by your name**

Antitumor effect of sorafenib and mTOR inhibitor in liver transplantation recipients with hepatocellular carcinoma recurrence Liver Transpl. 2018 Apr 30. doi: 10.1002/lt.25191. [Epub ahead of print]

Placement of an Aortohepatic Conduit as an Alternative to Standard Arterial Anastomosis in Liver Transplantation. Ann Transplant. 2018 Jan 19;23:61-65.

Angiogenesis in the Transplanted Donor Graft After Living-Donor Liver Transplantation. Transplantation. 2018 Jan;102(1):e26-e29.

Outcome comparison of liver transplantation for hepatitis A-related versus hepatitis B-related acute liver failure in adult recipients. Clin Transplant. 2018 Jan;32(1). doi: 10.1111/ctr.13140. Epub 2017 Dec 18.

Small Hepatocellular Carcinoma With Low Tumor Marker Expression Benefits More From Anatomical Resection Than Tumors With Aggressive Biology. Ann Surg. 2017 Aug 23. doi: 10.1097/SLA.0000000000002486. [Epub ahead of print]

In Situ Split Liver Transplantation for 2 Adult Recipients: A Single-Center Experience. Ann Transplant. 2017 Apr 21 [revised 2017 Apr 21];22:230-240

Clinicopathological Features and Prognosis of Intrahepatic Cholangiocarcinoma After Liver Transplantation and Resection. Ann Transplant. 2017 Jan 26;22:42-52

Clinico-pathological correlation of hepatic angiomyolipoma: a series of 23 resection cases. ANZ J Surg. 2017 Jan 25. doi: 10.1111/ans.13880.

Clinicopathological Features and Prognosis of Hepatic Epithelioid Hemangioendothelioma After Liver Resection and Transplantation. Ann Transplant. 2016 Dec 29;21:784-790.

Longterm prognosis of combined hepatocellular carcinoma-cholangiocarcinoma following liver transplantation and resection Liver Transpl. 2017 Mar;23(3):330-341

Protective role of hypoxia-inducible factor-1 $\alpha$ -dependent CD39 and CD73 in fulminant acute liver failure. Toxicol Appl Pharmacol. 2017 Jan 1;314:72-81

Clinicopathological Features and Post-resection Prognosis of Double Primary Hepatocellular Carcinoma and Intrahepatic Cholangiocarcinoma World J Surg. 2017 Mar;41(3):825-834

Post-resection Prognosis of Combined Hepatocellular Carcinoma-Cholangiocarcinoma According to the 2010 WHO Classification World J Surg. 2017 May;41(5):1347-1357

Update on experience in paired-exchange donors in living donor liver transplantation for adult patients at ASAN Medical Center. Transplantation. 2014 Apr 27;97 Suppl 8:S66-9.

Safety and usefulness of warm dissection technique during liver graft retrieval from deceased donors. Transplant Proc. 2015 Apr;47(3):576-9

Survival benefit of early cancer detection through regular endoscopic screening for de novo gastric and colorectal cancers in Korean liver transplant recipients. Transplant Proc.

Usability of ringed polytetrafluoroethylene grafts for middle hepatic vein reconstruction during living donor liver transplantation. Liver Transpl. 2012 Aug;18(8):955-65

Long-term outcome of ischemic type biliary stricture after interventional treatment in liver living donors: a report of two cases. Korean J Hepatobiliary Pancreat Surg. 2015 May;19(2):71-4.

